

# SPINDLE SLICK

## CONCENTRATED SPINDLE CLEANER

### ACTIVE INGREDIENTS:

Severely Hydrotreated Paraffinic Oil, Antistatic Agents, and Emulsifiers . . . . .100.0%

*All ingredients are exempt from tolerance requirements under 40 CFR 180.1001 (c).*

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid eye and skin contact. Avoid ingestion, breathing vapors or spray mist.

*NOTE: Read and follow all label directions and cautions on all products used.*

SEE INSIDE PANEL FOR FIRST AID INSTRUCTIONS AND GENERAL INFORMATION



Manufactured For:

**TRIANGLE CHEMICAL COMPANY**  
**MACON, GEORGIA**

**CARDINAL CHEMICALS, INC.**  
**KINSTON, NC**

NET CONTENTS:

092408

PEEL BACK BOOK HERE AND RESEAL AFTER OPENING 

## GENERAL INFORMATION

**SPINDLE SLICK** is a water-soluble oil base liquid that will mix with water of any hardness. To produce proper emulsion, mix according to instructions.

**SPINDLE SLICK** contains antistatic agents to help prevent the sticking of cotton to spindles.

## DIRECTIONS FOR USE

1. Fill cotton picker tank at least one-half full of water. **IMPORTANT:** Water and cleaner will not mix if cleaner is poured in an empty tank first and water added later.
2. Agitate the water by operating the precision moistener control water system. This will recirculate the water back through the supply tank.
3. While the water is agitating, slowly add the **SPINDLE SLICK** to the water at a ratio of 10-20 oz. per 100 gallons of cleaner solution.
4. Finish filling tank with water while agitating continues. After tank is filled, allow agitation to continue for approximately five minutes.

**NOTE 1:** For best results, the mixture should be used within 24 hours. If mixture is allowed to stand for an extended time, agitate for several minutes before picking.

**NOTE 2:** Additional cleaner can be added for make-up in a tank already containing some previous mixture. If tank is less than half full, fill with plain water to half full. Follow mixing instructions and add cleaner at the correct ratio for the amount of water being added for make-up.

## STATEMENT OF PRACTICAL TREATMENT

**If Inhaled:** Remove to fresh air, treat symptomatically. Seek medical attention if irritation persists.

**If Swallowed: DO NOT INDUCE VOMITING. DO NOT GIVE LIQUIDS.** Seek immediate medical attention.

**If on Skin:** Wash with soap and water. Seek medical attention if irritation persists.

**If in Eyes:** Immediately flush with water for 15 to 20 minutes. Seek medical attention if irritation persists.

## HANDLING AND STORAGE

For optimum storage stability, store at temperatures between 40°F (5°C) and 90°F (32°C). Avoid contact with eyes and skin. Do not store near oxidizing agents. **CONTAINER DISPOSAL** Triple rinse. Then offer container for recycling or reconditioning, or puncture and dispose of in a sanitary landfill. If incineration is allowed, stay out of smoke.

## WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk or any such use.

# SPINDLE SLICK

## CONCENTRATED SPINDLE CLEANER

### ACTIVE INGREDIENTS:

Severely Hydrotreated Paraffinic Oil, Antistatic Agents, and Emulsifiers . . . . .100.0%

*All ingredients are exempt from tolerance requirements under 40 CFR 180.1001 (c).*

## CAUTION

### KEEP OUT OF REACH OF CHILDREN

Avoid eye and skin contact. Avoid ingestion, breathing vapors or spray mist.

*NOTE: Read and follow all label directions and cautions on all products used.*

SEE INSIDE PANEL FOR FIRST AID INSTRUCTIONS AND GENERAL INFORMATION



Manufactured For:

**TRIANGLE CHEMICAL COMPANY**  
**MACON, GEORGIA**

**CARDINAL CHEMICALS, INC.**  
**KINSTON, NC**

SN: 048A-092408