

# LINE DRIVE

## AMMONIUM SULFATE - WATER CONDITIONER - ANTIFOAMING AGENT

### PRINCIPAL FUNCTIONING AGENTS:

Proprietary blend of ammonium sulfate, polydimethylsiloxane and constituents ineffective as adjuvants ..... 100%

**LINE DRIVE** contains 3.8 lbs of Ammonium Sulfate per gallon

All ingredients are exempt from tolerance requirements under 40 CFR 180

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Read label before use. Keep container tightly closed. Keep only in original container. Do not eat, drink or smoke when using this product. Avoid breathing spray. Wash hands thoroughly after handling. Wear protective gloves, protective clothing, and eye protection.

SEE BACK OF CONTAINER FOR STATEMENT OF FIRST AID AND GENERAL INFORMATION

**NET CONTENTS: 2 x 2.5 U.S. Gallons (2 x 9.46 L)**



Manufactured For:  
**TRIANGLE CHEMICAL COMPANY**  
117 Preston Ct., Macon, GA 31210  
478-743-1548



# LINE DRIVE

## AMMONIUM SULFATE - WATER CONDITIONER - ANTIFOAMING AGENT

### PRINCIPAL FUNCTIONING AGENTS:

Proprietary blend of ammonium sulfate, polydimethylsiloxane and  
constituents ineffective as adjuvants ..... 100%

**LINE DRIVE** contains 3.8 lbs of Ammonium Sulfate per gallon

All ingredients are exempt from tolerance requirements under 40 CFR 180

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Read label before use. Keep container tightly closed. Keep only in original container. Do not eat, drink or smoke when using this product. Avoid breathing spray. Wash hands thoroughly after handling. Wear protective gloves, protective clothing, and eye protection.

SEE BACK OF CONTAINER FOR STATEMENT OF FIRST AID AND GENERAL INFORMATION

**NET CONTENTS: 2.5 U.S. Gallons (9.46 L)**



Manufactured For:  
**TRIANGLE CHEMICAL COMPANY**  
117 Preston Ct., Macon, GA 31210  
478-743-1548



## GENERAL INFORMATION

**LINE DRIVE** is a convenient spray additive that is ready-to-use with any herbicides that recommend or require that ammonium sulfate be used as an additive. **LINE DRIVE** is a superior source of ammonium ions, whose presence has been proven to enhance uptake of such herbicides as glyphosate and glufosinate. **LINE DRIVE** buffers the pH of spray tank solutions to prevent hydrolysis. **LINE DRIVE** also ties up hard water ions which can be antagonistic to active ingredients. Sound agricultural practices and technology must be used when applying pesticides. **LINE DRIVE** is compatible with most pesticides. Always follow the directions on the pesticide label.

The addition of the recommended amount of **LINE DRIVE** delivers 9.75 to 19.5 lbs of AMS per 100 gallons of spray solution.

**FOR USE WITH PRODUCTS REGISTERED FOR: AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, ORNAMENTAL, RIGHTS-OF-WAY AND OTHER PEST CONTROL PURPOSES NOT FOR AQUATIC USE**

## DIRECTIONS FOR USE

The addition of **LINE DRIVE** to a tank mix should always follow the review of herbicide(s) labels and their procedures, rates and application requirements. Before using **LINE DRIVE**, it is recommended that the user be familiar with or conduct a field test to check for phytotoxicity for the herbicide combination.

For best performance, add **LINE DRIVE** to the spray tank before the addition of pesticides in order to buffer the water and minimize antagonism with hard water ions.

Add 1/2 to 2/3 of the desired water to the spray tank. Begin agitation. Add **LINE DRIVE**. Maintain agitation for a uniform mixture and add ingredients in the order on the pesticide label.

**Glyphosate tank mixes:** Use a rate of 2.5% to 5% or 2.5 gallons to 5 gallons **LINE DRIVE** per 100 gallons of spray solution.

## FIRST AID

**Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.**

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water.

**IF SWALLOWED:** Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

## STORAGE AND DISPOSAL

**STORAGE:** Store in a cool well-ventilated place. To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment. Material is hygroscopic and should not be exposed to moisture in order to maintain product integrity. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F.

**DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all local, regional, national and international regulations. Triple rinse (or equivalent) container adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations.

**WARRANTY:** Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk or any such use.

# LINE DRIVE

## AMMONIUM SULFATE - WATER CONDITIONER - ANTIFOAMING AGENT

### PRINCIPAL FUNCTIONING AGENTS:

Proprietary blend of ammonium sulfate, polydimethylsiloxane and constituents ineffective as adjuvants..... 100%

**LINE DRIVE** contains 3.8 lbs of Ammonium Sulfate per gallon

All ingredients are exempt from tolerance requirements under 40 CFR 180

### KEEP OUT OF REACH OF CHILDREN

## CAUTION

Read label before use. Keep container tightly closed. Keep only in original container. Do not eat, drink or smoke when using this product. Avoid breathing spray. Wash hands thoroughly after handling. Wear protective gloves, protective clothing, and eye protection.

### GENERAL INFORMATION

**LINE DRIVE** is a convenient spray additive that is ready-to-use with any herbicides that recommend or require that ammonium sulfate be used as an additive. **LINE DRIVE** is a superior source of ammonium ions, whose presence has been proven to enhance uptake of such herbicides as glyphosate and glufosinate. **LINE DRIVE** buffers the pH of spray tank solutions to prevent hydrolysis. **LINE DRIVE** also ties up hard water ions which can be antagonistic to active ingredients. Sound agricultural practices and technology must be used when applying pesticides. **LINE DRIVE** is compatible with most pesticides. Always follow the directions on the pesticide label.

The addition of the recommended amount of **TRICARD LINE DRIVE** delivers 9.75 to 19.5 lbs of AMS per 100 gallons of spray solution.

**FOR USE WITH PRODUCTS REGISTERED FOR: AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, ORNAMENTAL, RIGHTS-OF-WAY AND OTHER PEST CONTROL PURPOSES NOT FOR AQUATIC USE**

### DIRECTIONS FOR USE

The addition of **LINE DRIVE** to a tank mix should always follow the review of herbicide(s) labels and their procedures, rates and application requirements. Before using **LINE DRIVE**, it is recommended that the user be familiar with or conduct a field test to check for phytotoxicity for the herbicide combination.

For best performance, add **LINE DRIVE** to the spray tank before the addition of pesticides in order to buffer the water and minimize antagonism with hard water ions.

Add 1/2 to 2/3 of the desired water to the spray tank. Begin agitation. Add **LINE DRIVE**. Maintain agitation for a uniform mixture and add ingredients in the order on the pesticide label.

**Glyphosate tank mixes:** Use a rate of 2.5% to 5% or 2.5 gallons to 5 gallons **TRICARD LINE DRIVE** per 100 gallons of spray solution.

### FIRST AID

**Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.**

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water.

**IF SWALLOWED:** Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an

ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool well-ventilated place. To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment. Material is hygroscopic and should not be exposed to moisture in order to maintain product integrity. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F.

**DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all local, regional, national and international regulations. Triple rinse (or equivalent) container adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations.

**WARRANTY:** Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk or any such use.

**NET CONTENTS: 275 U.S. Gallons (1041 L)**

T R I A N G L E  
**TRICARD**  
C A R D I N A L

Manufactured For:  
**TRIANGLE CHEMICAL COMPANY**  
117 Preston Ct., Macon, GA 31210  
478-743-1548



# LINE DRIVE

## AMMONIUM SULFATE - WATER CONDITIONER - ANTIFOAMING AGENT

### PRINCIPAL FUNCTIONING AGENTS:

Proprietary blend of ammonium sulfate, polydimethylsiloxane and constituents ineffective as adjuvants..... 100%

**LINE DRIVE** contains 3.8 lbs of Ammonium Sulfate per gallon

All ingredients are exempt from tolerance requirements under 40 CFR 180

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

Read label before use. Keep container tightly closed. Keep only in original container. Do not eat, drink or smoke when using this product. Avoid breathing spray. Wash hands thoroughly after handling. Wear protective gloves, protective clothing, and eye protection.

### GENERAL INFORMATION

**LINE DRIVE** is a convenient spray additive that is ready-to-use with any herbicides that recommend or require that ammonium sulfate be used as an additive. **LINE DRIVE** is a superior source of ammonium ions, whose presence has been proven to enhance uptake of such herbicides as glyphosate and glufosinate. **LINE DRIVE** buffers the pH of spray tank solutions to prevent hydrolysis. **LINE DRIVE** also ties up hard water ions which can be antagonistic to active ingredients. Sound agricultural practices and technology must be used when applying pesticides. **LINE DRIVE** is compatible with most pesticides. Always follow the directions on the pesticide label.

The addition of the recommended amount of **LINE DRIVE** delivers 9.75 to 19.5 lbs of AMS per 100 gallons of spray solution.

**FOR USE WITH PRODUCTS REGISTERED FOR: AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NON-CROPLAND, ORNAMENTAL, RIGHTS-OF-WAY AND OTHER PEST CONTROL PURPOSES NOT FOR AQUATIC USE**

### DIRECTIONS FOR USE

The addition of **LINE DRIVE** to a tank mix should always follow the review of herbicide(s) labels and their procedures, rates and application requirements. Before using **LINE DRIVE**, it is recommended that the user be familiar with or conduct a field test to check for phytotoxicity for the herbicide combination.

For best performance, add **LINE DRIVE** to the spray tank before the addition of pesticides in order to buffer the water and minimize antagonism with hard water ions.

Add 1/2 to 2/3 of the desired water to the spray tank. Begin agitation. Add **LINE DRIVE**. Maintain agitation for a uniform mixture and add ingredients in the order on the pesticide label.

**Glyphosate tank mixes:** Use a rate of 2.5% to 5% or 2.5 gallons to 5 gallons **LINE DRIVE** per 100 gallons of spray solution.

### FIRST AID

**Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment.**

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water.

**IF SWALLOWED:** Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

### STORAGE AND DISPOSAL

**STORAGE:** Store in a cool well-ventilated place. To avoid product degradation and equipment corrosion, do not use iron, copper or aluminum containers or equipment. Material is hygroscopic and should not be exposed to moisture in order to maintain product integrity. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F.

**DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all local, regional, national and international regulations. Triple rinse (or equivalent) container adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations.

**WARRANTY:** Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk or any such use.

072717



Manufactured For:  
**TRIANGLE CHEMICAL COMPANY**  
117 Preston Ct., Macon, GA 31210  
478-743-1548