

SUL-MAG

Guaranteed Analysis

MAGNESIUM (Mg)	5.00%
SULFUR (S) (Combined)	10.00%
BORON (B).....	2.50%
MANGANESE (Mn)	10.00%

Derived from Sodium Borate, Magnesium Sulfate, Manganese Sulfate, Citric Acid, and Ethylenediaminetetraacetic Acid (EDTA) used as the chelating agent.

APPLICATION: Application of this product should be based on soil test and/or leaf analysis results. Typical application rate is 1 to 5 pounds of SUL-MAG per acre applied as a foliar spray during the early vegetative stage (V-3 to V-6) of the plant. Additional applications may be made if signs of manganese deficiency are evident. Soil test results or tissue tests should be used as a base reference.

DIRECTIONS FOR USE: Add SUL-MAG to spray water first and allow to completely dissolve. Then add compatibility agents and finally add any additional products, allowing each to mix totally in the solution before adding the next. SUL-MAG has been used in conjunction with herbicide spray solutions with excellent results. Caution must be used when mixing to diminish any negative effects on the herbicide efficacy.

MIXING SEQUENCE MUST BE: SUL-MAG first, Ammonium Sulfate or other compatibility agent, and all other additives last. (Each product must be allowed to mix completely before the addition of the next.) Use a "jar test" to ensure compatibility.

CAUTION: THIS PRODUCT CONTAINS BORON, MAGNESIUM, AND MANGANESE. SHOULD BE USED AS RECOMMENDED. MISUSE MAY PROVE HARMFUL. DO NOT USE WITH DINITRO COMPOUNDS, DORMANT OIL, BORDEAUX, SPRAY LIME, OR HIGHLY ALKALINE SPRAY MATERIALS. ALWAYS ADD SUL-MAG TO SPRAY MIXTURE AS THE FIRST INGREDIENT AND DISSOLVE COMPLETELY.

NET WEIGHT
25 lbs./11.35 kg



WARNING:

MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE
CAUSES EYE IRRITATION
CAUSES SKIN IRRITATION
HARMFUL IF SWALLOWED
SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD
KEEP OUT OF REACH OF CHILDREN

PREVENTION

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Wear protective gloves/ protective clothing/ eye protection/ face protection/ respiratory protection to avoid direct contact
- Minimize dust generation. Do not breathe dust.
- Wash thoroughly after handling.
- Keep away from heat, open flames, sparks, hot surfaces. No Smoking

RESPONSE

- **IF IN EYES:** Flus with water for 15 minutes. Call a doctor for treatment if irritation persists.
 - **IF ON SKIN:** Wash thoroughly with soap and water. Launder clothing before reuse.
 - **IF INHALED:** Remove affected person from source of exposure. Call 911 if breathing is difficult.
 - **IF INGESTED:** Do not induce vomiting. Get medical attention. Have the product label with you when calling a doctor or going for treatment.
- EMERGENCY: INFOTRAC 1-800-535-5053 • INTERNATIONAL: 352-323-3500

**FOR
COMMERCIAL
GROWERS
ONLY**

BATCH #

F-1486



7/31/2018

Distributed by: Triangle Chemical PO Box 4528, Macon, GA 31208 Phone: 478-743-1548