

FourMnXL



Formulation for the Correction of Manganese Deficiencies in Crops

GUARANTEED ANALYSIS:

Sulfur (S)7.00%
7.00% Combined Sulfur (S)
Manganese (Mn).....9.00%
9.00% Water Soluble Manganese (Mn)
Derived from: Manganese (II) Sulfate Monohydrate

Density: 11.0 lbs./gal @ 68° F
Net Contents: 275 gals (1040.9 L)
Net Weight: 3025 lbs. (1375.0 kg)

F1486

KEEP OUT OF REACH OF CHILDREN
WARNING • AVISO

HAZARD STATEMENTS

Causes serious eye irritation.
Harmful if swallowed, inhaled, or absorbed through skin.
Do not get in eyes or on clothing. Avoid contact with skin. Wear protective eyewear (goggles, face shield, or safety glasses).
Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.



If you do not understand this label, find someone to explain it to you in detail.
(Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle)

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for advice.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of soap and water for 15 to 20 minutes. Call a poison control center or doctor for treatment.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
You may also contact INFOTRAC 1-800-535-5053 for emergency medical treatment.
PRECAUTIONARY STATEMENTS: Do not get in eyes, on skin or on clothing. Wash hands, forearms, and other exposed areas thoroughly after handling. Do not eat, drink or smoke when using this product. Wear impervious gloves, protective clothing, and eye protection (goggles, face shield, or safety glasses). Do not breathe vapors, mist, or spray.
ENVIRONMENTAL PRECAUTIONS: Prevent further leakage or spillage if safe to do so. Do not allow to enter drains, sewers, or watercourses.

BEFORE USING THIS PRODUCT, READ ALL PRECAUTIONS, DIRECTIONS FOR USE, CONDITIONS OF SALE - LIMITED WARRANTY AND LIMITATIONS OF LIABILITIES AND REMEDIES

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a safe place away from pets and keep out of the reach of children. Store away from excessive heat. FourMnXL will freeze. Always store FourMnXL above 40 degrees F (Do not Freeze). Freezing may cause product separation.

DISPOSAL CONSIDERATIONS: Dispose of in accordance with local/regional/national regulations.

GENERAL INFORMATION

FourMnXL is designed for foliar applications to growing crops, alone or with other fertilizers and pesticides. FourMnXL may be applied by foliar application, through irrigation systems, or directly to soil. It is compatible with most water dispersed pesticides and may be applied via high volume, low volume or aircraft sprayers. It is recommended for all field, row, vegetable, fruit, tree and vine crops.

DIRECTIONS FOR USE

Read and follow all directions on this label prior to use.

Do not tank mix FourMnXL with glyphosate as antagonism may occur.
Perform a jar test to check compatibility with other products prior to mixing.

MIXING INSTRUCTIONS

1. Add 2/3 volume of water or fertilizer in tank and then turn on agitation.
2. Add required amount of FourMnXL.
3. Add any other pesticide to the tank.
4. Fill tank with balance of water or fertilizer while maintaining agitation.
5. Agitate adequately for uniformity of solution before applying.

RECOMMENDED RATES

Row or Band:	2-4 pints per acre before or at planting
Broadcast:	4-5 pints per acre mixed into the top few inches of soil
Foliar:	1-2 pints per acre

Lower rates should be used on field, row, or vegetable crops. Higher rates should be used for fruit, nut, and vine crops. When rates of over 4 pints are called for, split or multiple applications of the total amount needed are preferred. Applications should be separated by a minimum of 10-14 days.

Aerial application: Normal rate is 1-2 pints FourMnXL per acre in a minimum of 3 gallons of water per acre.

Drip application: The required amount of FourMnXL should be applied over the growing season of the crop via multiple applications 1-2 weeks apart.

Information regarding the contents and levels of nutrients in this product is available by calling 478-743-1548.

**IMPORTANT
READ BEFORE USING
LIMITED WARRANTY AND LIMITATION OF REMEDIES**

Seller warrants that product will be labeled as required under state and federal law and that they conform to the label description. Any nonconformance must be reported in writing to Seller within thirty (30) days after purchase as a prerequisite to maintaining any claim against Seller. Buyer agrees to inspect all product purchased immediately upon delivery.

THE SELLER'S LIABILITY ON THIS WARRANTY IS LIMITED IN AMOUNT TO THE PURCHASE PRICE OF THE PRODUCT. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THIS STATEMENT.

Manufactured For:
TRIANGLE CHEMICAL COMPANY
117 PRESTON COURT
MACON, GA 31210