

MSDS Number: 102000012476 MSDS Version 1.0 Revision Date: 03/28/2005

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MSDS Number EPA Registration No. Product Use ALLECTUS GC SC INSECTICIDE 102000012476 432-1421 Insecticide for general insect control in turfgrass and landscape ornamentals on golf courses and sod farms.

Bayer Environmental Science 95 Chestnut Ridge Road Montvale, NJ 07645 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call 1-800-334-7577 (24 hours/day) For Product Information call 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Imidacloprid	138261-41-3	5.00
Bifenthrin	82657-04-3	2.00

SECTION 3. HAZARDS IDENTIFICATION

 NOTE: Please refer to Section 11 for detailed toxicological information.

 Emergency Overview
 Caution! Harmful if swallowed. Avoid contact with skin, eyes and clothing.

 Physical State
 suspension

Appearance	white opaque
Routes of Exposure	Ingestion, Eye contact, Skin contact
Immediate Effects Eye	May cause mild irritation to eyes. Avoid contact with eyes.
Skin	May cause slight irritation. Avoid contact with skin and clothing.
Ingestion	Harmful if swallowed. Do not take internally.

SECTION 4. FIRST AID MEASURES



MSDS Number: 102000012476 MSDS Version 1.0

General	Have the product container or label with you when calling a poison control center or doctor or going for treatment.
Еуе	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin	Take off all contaminated clothing immediately. Rinse immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment advice.
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Notes to Physician	
Hazaros	This product/preparation contains a pyrethroid.
Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.
	Do not administer milk, cream or other substances containing vegetable or animal fats, which enhance the absorption of lipophilic substances

SECTION 5. FIRE FIGHTING MEASURES

Flash Point	> 110 °C / > 230 °F Method: Setaflash
Suitable Extinguishing Media	carbon dioxide (CO2), dry chemical, foam
Fire Fighting Instructions	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Contain contaminated water/fire fighting water. Dike area to prevent runoff and contamination of water sources. Equipment or materials involved in pesticide fires may become contaminated. Prevent use of contaminated buildings, area, and equipment until decontaminated. Wear self-contained breathing apparatus and protective suit.

SECTION 6. ACCIDENTAL RELEASE MEASURES



MSDS Number: 102000012476 MSDS Version 1.0

Personal Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
Methods for Cleaning Up	Take up with absorbent material (e.g. sand, earth or a proprietary absorbent material). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.
Additional Advice	Use personal protective equipment. Avoid breathing vapors and avoid skin contact. Do not allow material to enter streams, sewers, or other waterways.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Handle and open container in a manner as to prevent spillage. **Storing Procedures** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Do not freeze. Work/Hygienic Wash hands before eating, drinking, chewing gum, using tobacco or using the Procedures toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. As soon as practical, wash thoroughly and change into clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls	Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.
Eye/Face Protection	Safety glasses with side-shields
Hand Protection	chemical resistant gloves
Body Protection	Wear long-sleeved shirt and long pants and shoes plus socks.
Respiratory Protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or Industry recommendations.
General Protection	Educate and train employees in safe use of the product. Follow all label instructions.



MSDS Number: 102000012476 MSDS Version 1.0

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Do not allow children and pets to enter the treated area until it has dried.

Exposure Limits Glycerine

ACGIH TWA Form of Exposure PEL OSHA Z1 Form of Exposure OSHA Z1 PEL Form of Exposure OSHA Z1A TWA Form of Exposure OSHA Z1A TWA Form of Exposure US CA OEL TWA PEL Form of Exposure US CA OEL TWA PEL Form of Exposure

	10 mg/m3
Mist.	5 mg/m3
Respirable fraction.	15 mg/m3
Total dust.	13 mg/m3
Respirable fraction.	5 mg/m3
Total dust	10 mg/m3
	5 mg/m3
Respirable fraction.	10 ma/m3
Total dust.	<u> </u>

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

56-81-5

Appearance	white opaque
Physical State	suspension
рН	6.9 at 25 °C Aqueous suspension
Density	1.02 g/ml
Bulk Density	8.50 lbs/gal
Viscosity	575 mPa.s

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity studies have not been performed on this product as formulated. The acute toxicity data provided has been bridged from a very similar formulation containing the active ingredients, imidacloprid technical and bifenthrin technical. The non-acute information pertains to the technical-grade active ingredients.



MSDS Number: 102000012476 MSDS Version 1.0

Acute Oral Toxicity	female rat: LD50: 1,030 mg/kg	
Acute Dermal Toxicity	female rat: LD50: > 5,000 mg/kg	
Acute Inhalation Toxicity	female rat: LC50: > 2.03 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. (actual)	
	female rat: LC50: > 8.12 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50. (actual)	
Skin Irritation	rabbit: slight irritation	
Eye Irritation	rabbit: Minimally irritating.	
Sensitization	guinea pig: Non-sensitizing	
Subchronic Toxicity	IMIDACLOPRID TECHINCAL In a 3-week dermal toxicity study, rabbits treated with imidacloprid showed no local or systemic effects at levels up to and including 1000 mg/kg, the limit dose.	
	In a 4-week inhalation study, rats exposed to high concentrations of imidacloprid exhibited decreased body weight gains and changes in clinical chemistries and organ weights.	
	BIFENTHRIN TECHNICAL In a 21-day dermal toxicity study in rabbits, bifenthrin caused a loss of muscle coordination. In subchronic toxicity studies, tremors were observed in rats and dogs following dietary exposure to bifenthrin.	
Chronic Toxicity	IMIDACLOPRID TECHNICAL In chronic dietary studies in rats and dogs exposed to imidacloprid, the target organs were the thyroids and/or liver.	
	BIFENTHRIN TECHNICAL The principal effect observed in rats, mice and dogs from long-term exposure to bifenthrin was clinical signs of toxicity (e.g., tremors).	
Assessment Carcinogenicity		

IMIDACLOPRID TECHNICAL

In oncogenicity studies in rats and mice, imidacloprid was not considered carcinogenic in either species.

BIFENTHRIN TECHNICAL

Bifenthrin was not carcinogenic in a chronic feeding study in rats. In an oncogenicity study in mice, there was an increased incidence of tumors (urinary bladder, liver, lung). EPA classified bifenthrin as Group C



Material Safety Data Sheet

ALLECTUS GC SC INSECTICIDE

MSDS Number: 102000012476 MSDS Version 1.0

(possible human carcinogen) chemical based on urinary bladder tumors in mice. The Agency used a nonlinear methodology approach for determining the Margin of Exposure (MOE) for the estimation of cancer risk. Therefore, EPA has a reasonable certainty that no harm will result from exposure to residues of bifenthrin.

ACGIH None. NTP None. IARC None. OSHA None.	
Reproductive & Developmental Toxicity	IMIDACLOPRID TECHNICAL REPRODUCTION: In a two-generation reproduction study in rats, imidacloprid was not a primary reproductive toxicant. Offspring exhibited reduced body weights at the high dose and in conjunction with maternal toxicity.
	DEVELOPMENTAL TOXICITY: In developmental toxicity studies in rats and rabbits, there was no evidence of an embryotoxic or teratogenic potential for imidacloprid. In both species, developmental effects were observed only at high doses and in conjunction with maternal toxicity.
	BIFENTHRIN TECHNICAL REPRODUCTION: Bifenthrin is not a reproductive toxicant based on a multigeneration reproduction study in rats.
	DEVELOPMENTAL TOXICITY: Bifenthrin is not a developmental toxicant based on developmental toxicity studies in rats and rabbits.
Neurotoxicity	IMIDACLOPRID TECHINCAL In acute and subchronic neurotoxicity screening studies in rats, imidacloprid produced slight neurobehavioral effects in each study at the highest dose tested. There were no correlating morphological changes observed in the neural tissues.
	In a one-generation developmental neurotoxicity screening study in rats, offspring exposed to imidacloprid showed decreased motor activities. These effects occurred at the highest dose tested and in conjunction with maternal toxicity. There were no correlating morphological changes observed in the neural tissues.
	BIFENTHRIN TECHNICAL Bifenthrin did not cause delayed neurotoxicity in hens. In acute and subchronic neurotoxicity screening studies in rats, transient well-defined neurobehavioral effects were seen without correlating morphological changes in the neural tissues.
Mutagenicity	IMIDACLOPRID TECHNICAL The imidacloprid mutagenicity studies, taken collectively, demonstrate that the



MSDS Number: 102000012476 MSDS Version 1.0

active ingredient is not genotoxic or mutagenic.

BIFENTHRIN TECHNICAL

Bifenthrin is not considered genotoxic or mutagenic based on in vitro and in vivo mutagenicity studies.

SECTION 12. ECOLOGICAL INFORMATION

Environmental	This product is extremely toxic to fish and aquatic invertebrates. Do not apply
Precautions	directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.

Ecological Information This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance	Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal	Do not re-use empty containers. Triple rinse containers. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

DOT CLASSIFICATION: Not Regulated for Domestic Surface Transportation

FREIGHT CLASSIFICATION: Insecticides or Fungicides, N.O.I., other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1421

US Federal Regulations TSCA list None.



Material Safety Data Sheet

ALLECTUS GC SC INSECTICIDE	MSDS Number: 102000012476 MSDS Version 1.0
US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notific None.	cation (40 CFR 707, Subpt D)
SARA Title III - Section 302 - Notification and Information None.	
SARA Title III - Section 313 - Toxic Chemical Release Reporting Bifenthrin 82657-04-3	1.0%
US States Regulatory Reporting CA Prop65	
This product does not contain any substances known to the State of Cal	ifornia to cause cancer.
This product does not contain any substances known to the State of Cal harm.	ifornia to cause reproductive
US State Right-To-Know Ingredients Bifenthrin 82657-04-3 NJ	
Canadian Regulations Canadian Domestic Substance List None.	
Environmental CERCLA None. Clean Water Section 307 Priority Pollutants	
None.	
None.	

SECTION 16. OTHER INFORMATION

NFPA

Health - 2 Flammability - 1 Reactivity - 1 Others - none 0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: New Material Safety Data Sheet

Revision Date: 03/28/2005

This information is provided in good faith but without express or implied warranty. Buyer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.