



Material Safety Data Sheet

TARTAN™ FUNGICIDE

MSDS Number: 102000013748

MSDS Version 1.0

Revision Date: 02/09/2006

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name TARTAN™ FUNGICIDE
MSDS Number 102000013748
EPA Registration No. 432-1446
Product Use Fungicide for control of certain foliar, stem and root diseases of turfgrass including golf courses, sod farms and sports fields.

Bayer Environmental Science
 2 T.W. Alexander Drive
 Research Triangle PK, NC 27709
 USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)
 For Product Information call: 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Component Name</u>	<u>CAS-No.</u>	<u>Average % by Weight</u>
Triadimefon	43121-43-3	20.86
Trifloxystrobin	141517-21-7	4.17

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Harmful if swallowed. Moderate eye irritation. Avoid contact with skin, eyes and clothing.

Physical State liquid viscous
Appearance green
Routes of Exposure Ingestion, Eye contact, Skin contact
Immediate Effects
Eye Moderate eye irritation. Do not get in eyes.
Ingestion Harmful if swallowed. Do not take internally.
Inhalation Avoid breathing spray mist.



Material Safety Data Sheet

TARTAN™ FUNGICIDE

MSDS Number: 102000013748
MSDS Version 1.0

Chronic or Delayed Long-Term

This product contains ingredients that are considered to be probable or suspected human carcinogens (see Section 11 - Chronic). This product or its components may have target organ effects. This product or its components may have long term (chronic) health effects.

SECTION 4. FIRST AID MEASURES

General	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Eye	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin	Take off all contaminated clothing immediately. Rinse immediately with plenty of water for at least 15 minutes. Call a poison control center or doctor for treatment advice.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small gulps to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Notes to Physician Treatment	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Flash Point	> 93.3 °C / 199.9 °F
Suitable Extinguishing Media	carbon dioxide (CO2), dry chemical, foam, water spray
Fire Fighting Instructions	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Dike area to prevent runoff and contamination of water sources. Do not allow run-off from fire fighting to enter drains or water courses. Equipment or materials involved in pesticide fires may become contaminated. Wear self-contained breathing apparatus and protective suit.



Material Safety Data Sheet

TARTAN™ FUNGICIDE

MSDS Number: 102000013748
MSDS Version 1.0

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

- Methods for Cleaning Up** Take up with absorbent material (e.g. sand, diatomaceous earth or a proprietary absorbent material). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

- Additional Advice** Use personal protective equipment. Do not allow product to enter streams, sewers or other waterways.

SECTION 7. HANDLING AND STORAGE

- Handling Procedures** Handle and open container in a manner as to prevent spillage.

- Storing Procedures** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Do not use, pour or store near heat or open flame. Do not contaminate water, food, or feed by storage or disposal.

- Work/Hygienic Procedures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Remove and wash contaminated clothing before re-use. As soon as practical, wash thoroughly and change into clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

- General Protection** Follow all label instructions. Train employees in safe use of the product.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

- Engineering Controls** Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

- Eye/Face Protection** protective eyewear

- Hand Protection** Chemical resistant nitrile rubber gloves

- Body Protection** Wear long-sleeved shirt and long pants and shoes plus socks.



Material Safety Data Sheet

TARTAN™ FUNGICIDE

MSDS Number: 102000013748
MSDS Version 1.0

Respiratory Protection When respiratory protection is necessary under the conditions of use, wear a respirator approved by the National Institute for Occupational Safety and Health (NIOSH).

Exposure Limits This product contains material which are Trade Secret and may have Occupational Exposure Limits. If more information is required, call the product information number listed in Section 1.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	green
Physical State	liquid viscous
pH	6.5 - 7.5 (10 %) at 25 °C aqueous suspension
Density	ca. 1.15 g/cm ³ at 20 °C
Viscosity	600 - 950 mPa.s

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Only acute toxicity studies have been performed on this product as formulated. The non-acute information pertains to the technical-grade active ingredients, triadimefon and trifloxystrobin.

Acute Oral Toxicity	female rat: LD50: 3,129 mg/kg
Acute Dermal Toxicity	male/female rat: LD50: > 5,000 mg/kg
Acute Inhalation Toxicity	male/female rat: LC50: > 2.1 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. No deaths
	male/female rat: LC50: > 8.4 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
Skin Irritation	rabbit: No skin irritation.



Material Safety Data Sheet

MSDS Number: 102000013748
MSDS Version 1.0

TARTAN™ FUNGICIDE

- Eye Irritation** rabbit: Mild eye irritation.
- Sensitization** guinea pig: Non-sensitizing.
- Chronic Toxicity** Triadimefon affected the liver and/or thyroid (secondary effects) in chronic studies in rats and dogs.

Trifloxystrobin caused liver effects in chronic studies in mice and dogs.

Assessment Carcinogenicity

Triadimefon has been classified by EPA as a Group C (possible human carcinogen) based on borderline statistically significant increases in thyroid adenomas in male rats, and increases in liver adenomas in both sexes in mice. The Agency used a non-linear methodology approach for determining the Margin of Exposure (MOE) for the estimation of human cancer risk because the tumors were benign, and there were no apparent genotoxicity concerns. Therefore, EPA has a reasonable certainty that no harm will result from exposure to residues of triadimefon.

Trifloxystrobin is not carcinogenic based on oncogenicity studies in rats and mice.

- ACGIH**
None.
- NTP**
None.
- IARC**
None.
- OSHA**
None.

Reproductive & Developmental Toxicity **REPRODUCTION**
Triadimefon caused reproductive effects (e.g., smaller litter sizes) in conjunction with parental toxicity at the highest dose tested in reproduction studies in rats.

Trifloxystrobin is not considered a primary reproductive toxicant in rats.

DEVELOPMENTAL TOXICITY
Triadimefon and trifloxystrobin are not considered primary developmental toxicants in laboratory animals. Developmental effects were observed only at doses that caused maternal toxicity.

Neurotoxicity Triadimefon caused prominent hyperactivity-related neurobehavioral changes in acute (oral gavage) and subchronic (diet) neurotoxicity screening studies in rats. There were no neuropathologic alterations in the skeletal muscle or neural tissues in either study.

Trifloxystrobin is not a primary neurotoxicant based on an acute (oral gavage) neurotoxicity screening study in rats.

Mutagenicity Triadimefon and trifloxystrobin are not considered genotoxic based on in vitro and in vivo tests.



Material Safety Data Sheet

TARTAN™ FUNGICIDE

MSDS Number: 102000013748
MSDS Version 1.0

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions Toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to fish/aquatic organisms in adjacent sites. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Apply this product only as specified on the label.

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance Pesticide wastes may be toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal Triple rinse containers. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

TRANSPORTATION CLASSIFICATION:
Not regulated for shipment by any mode of transportation

FREIGHT TRANSPORTATION:
Compounds, Tree or Weedkilling, N.O.I. other than poison, Having a density of greater than 20 LBS. per cubic foot

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1446

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Triadimefon 43121-43-3

1.0%

US States Regulatory Reporting



Material Safety Data Sheet

TARTAN™ FUNGICIDE

MSDS Number: 102000013748
MSDS Version 1.0

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Triadimefon	43121-43-3	Developmental toxin.
Triadimefon	43121-43-3	Female reproductive toxin.
Triadimefon	43121-43-3	Male reproductive toxin.

US State Right-To-Know Ingredients

Triadimefon	43121-43-3	NJ
-------------	------------	----

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Triadimefon	43121-43-3
-------------	------------

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: New Material Safety Data Sheet.

Revision Date: 02/09/2006

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.