

STAYLO™

DEPOSITION AID / DRIFT RETARDANT

ACTIVE INGREDIENTS:

Polyvinyl Polymer (Polyacrylamide)	30%
Inert Ingredients	70%
TOTAL	100%

All ingredients are accepted for use under CFR 40, 180.1001(c).

DO NOT FREEZE

**KEEP OUT OF REACH OF CHILDREN
WARNING**



Causes skin irritation. Causes serious eye irritation. DO NOT FREEZE. Product will cause a slip hazard. Read label before use. Keep container tightly closed. Keep only in original container. Do not breathe dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective glove, protective clothing, eye protection and face protection.

SLIPPERY WHEN WET

NET CONTENTS: 12 x 1 U.S. Quart (12 x 0.95 L)

T R I A N G L E
IRICARD
C A R D I N A L

Manufactured For:
TRIANGLE CHEMICAL COMPANY
117 Preston Ct., Macon, GA 31210
478-743-1548



STAYLO™

DEPOSITION AID / DRIFT RETARDANT

ACTIVE INGREDIENTS:

Polyvinyl Polymer (Polyacrylamide) 30%
 Inert Ingredients..... 70%
TOTAL..... **100%**

All ingredients are accepted for use under CFR 40, 180.1001(c).

DO NOT FREEZE

**KEEP OUT OF REACH OF CHILDREN
WARNING**



Causes skin irritation. Causes serious eye irritation. DO NOT FREEZE. Product will cause a slip hazard. Read label before use. Keep container tightly closed. Keep only in original container. Do not breathe dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective glove, protective clothing, eye protection and face protection.

SLIPPERY WHEN WET

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present, after the first 5 minutes, then continue cautiously rinsing eye for several minutes. If eye irritation persists: get immediate medical attention.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention.

IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

NET CONTENTS: 1 U.S. QUART (0.95 L)



Manufactured For:
TRIANGLE CHEMICAL COMPANY
 117 Preston Ct., Macon, GA 31210
 478-743-1548



GENERAL INFORMATION

STAYLO is an effective, easy-to-use adjuvant for deposition improvement and drift retardation in spraying operations. **STAYLO** is compatible with most water soluble and wettable powder pesticides, desiccant and cotton defoliants when applied by aerial application or standard ground equipment.

STAYLO when used as directed in accordance with sound agricultural practices, is in compliance with Federal Food and Drug Administration Regulations governing the cropland use of adjuvants and is exempt from tolerance requirements under Title 40, Code of Federal Regulations 180.1001(d).

DIRECTIONS FOR USE

Important: Keep container closed in storage and do not allow water to come in contact with contents until added to the spray solution.

Step 1. Select correct dosage from chart below.

Step 2. Fill mix tank with water, pesticide and other additives and begin to agitate.

Step 3. SHAKE **STAYLO** BOTTLE WELL BEFORE USING.

Step 4. For best mixing results, either (1) inject **STAYLO** liquid into the suction side of the feeder or recirculating pump to obtain adequate dispersion of the polymer throughout the pesticide solution, or (2) slowly add **STAYLO** liquid to the rapidly agitating tank mix in the area of highest turbulence by pouring a very thin stream.

Step 5. Continue to agitate mix tank for at least 2 minutes before spraying.

Step 6. Follow all cleanup precautions on label of pesticide used. Follow governmental procedures for disposal of pesticide spray solution.

NOTE: The degree of drift hazard varies with the type of pesticide, application conditions, and vegetation near the sprayed area. Consult your local agricultural advisor. Remember, pesticide drift is no accident. Common sense and sound application technology must be followed when spraying pesticides. **STAYLO** will retard, but not totally eliminate drift.

DOSAGE CHART

Spray Pressure	Nozzle Orientation	STAYLO *Dosage
aerial applied below 45 psi	straight back	2-6 oz.
	45° angle back	4-8 oz.
ground application low (below 30 psi)	flat fan, flooding	1-4 oz.
	off-center	3-5 oz.
medium (below 30-50 psi)	flat fan, flooding	3-4 oz.
	off-center	4-6 oz.
high (over 50 psi)	spray guns	5-8 oz.
	spray guns	8-32 oz.

* Ounces per 100 gallons of spray solution.

For home and garden sprayers, use approximately 1 Tablespoon of **STAYLO** per 5 gallons of spray solution.

HANDLING, STORAGE AND DISPOSAL

HANDLING: Spills will be slippery and adding water to spills will increase slipperiness. Treat spills with absorbent material. When absorbent material is disposed of, rinse area thoroughly until slipperiness disappears.

STORAGE: Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F. Do Not Freeze.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations. Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrecycle.org.

WARRANTY: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk or any such use.

28 oz.

26 oz.

24 oz.

22 oz.

20 oz.

18 oz.

16 oz.

14 oz.

12 oz.

10 oz.

8 oz.

6 oz.

4 oz.

STAYLO™

DEPOSITION AID / DRIFT RETARDANT

ACTIVE INGREDIENTS:

Polyvinyl Polymer (Polyacrylamide)	30%
Inert Ingredients	70%
TOTAL	100%

All ingredients are accepted for use under CFR 40, 180.1001(c).

DO NOT FREEZE

KEEP OUT OF REACH OF CHILDREN

WARNING



Causes skin irritation. Causes serious eye irritation. DO NOT FREEZE. Product will cause a slip hazard. Read label before use. Keep container tightly closed. Keep only in original container. Do not breathe dust, fume, gas, mist, vapors or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective glove, protective clothing, eye protection and face protection.

SLIPPERY WHEN WET

FIRST AID

Call a poison control center or doctor immediately for treatment advice. Have the product container with you when calling a poison control center or doctor, or going for treatment

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present, after the first 5 minutes, then continue cautiously rinsing eye for several minutes. If eye irritation persists: get immediate medical attention.

IF ON SKIN OR CLOTHING: Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention.

IF SWALLOWED: Unless advised otherwise by a poison control center or doctor, have person rinse mouth with water, if able. Do not give anything by mouth to an unconscious person.

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth to mouth if possible.

GENERAL INFORMATION

STAYLO is an effective, easy-to-use adjuvant for deposition improvement and drift retardation in spraying operations. **STAYLO** is compatible with most water soluble and wetttable powder pesticides, desiccant and cotton defoliant when applied by aerial application or standard ground equipment.

STAYLO when used as directed in accordance with sound agricultural practices, is in compliance with Federal Food and Drug Administration Regulations governing the cropland use of adjuvants and is exempt from tolerance requirements under Title 40, Code of Federal Regulations 180.1001(d).

DIRECTIONS FOR USE

Important: Keep container closed in storage and do not allow water to come in contact with contents until added to the spray solution.

Step 1. Select correct dosage from chart below.

Step 2. Fill mix tank with water, pesticide and other additives and begin to agitate.

Step 3. **SHAKE STAYLO BOTTLE WELL BEFORE USING.**

Step 4. For best mixing results, either (1) inject **STAYLO** liquid into the suction side of the feeder or recirculating pump to obtain adequate dispersion of the polymer throughout the pesticide solution, or (2) slowly add **STAYLO** liquid to the rapidly agitating tank mix in the area of highest turbulence by pouring a very thin stream.

Step 5. Continue to agitate mix tank for at least 2 minutes before spraying.

Step 6. Follow all cleanup precautions on label of pesticide used. Follow governmental procedures for disposal of pesticide spray solution.

NOTE: The degree of drift hazard varies with the type of pesticide, application conditions, and vegetation near the sprayed area. Consult your local agricultural advisor. Remember, pesticide drift is no accident. Common sense and sound application technology must be followed when spraying pesticides. **STAYLO** will retard, but not totally eliminate drift.

DOSAGE CHART

Spray Pressure	Nozzle Orientation	STAYLO *Dosage
aerial applied below 45 psi	straight back	2-6 oz.
	45° angle back	4-8 oz.
ground application low (below 30 psi)	flat fan, flooding	1-4 oz.
	off-center	3-5 oz.
medium (below 30-50 psi)	flat fan, flooding	3-4 oz.
	off-center	4-6 oz.
	spray guns	5-8 oz.
high (over 50 psi)	spray guns	8-32 oz.

* Ounces per 100 gallons of spray solution.

For home and garden sprayers, use approximately 1 Tablespoon of **STAYLO** per 5 gallons of spray solution.

HANDLING, STORAGE AND DISPOSAL

HANDLING: Spills will be slippery and adding water to spills will increase slipperiness. Treat spills with absorbent material. When absorbent material is disposed of, rinse area thoroughly until slipperiness disappears.

STORAGE: Store in a cool well-ventilated place. Keep in original container tightly closed. Do not reuse empty container. Do not store with food, feed, or other material to be used or consumed by humans or animals. Do not contaminate water supplies. For optimal storage, store between 40° and 90° F. Do Not Freeze.

DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Dispose of contents in container to an approved waste disposal facility in accordance with all federal, state and local regulations. Triple rinse (or equivalent) adding rinse water to application tank. Offer container for recycling or dispose of in a sanitary landfill or by other procedures approved by local regulations. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at www.acrcycle.org.

WARRANTY: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk or any such use.

T R I A N G L E
TRICARD
C A R D I N A L

Manufactured For:

TRIANGLE CHEMICAL COMPANY

117 Preston Ct., Macon, GA 31210

478-743-1548