

GUARANTEED A	ANAL YSIS	% BY WEI
Magnesium (Mg)		0.50%
Sulfur (S)		1.00%
Boron (B)		0.08%
Iron (Fe)		0.50%
Manganese (Mn)		0.15%
Zinc (Zn)		0.40%
D 1 10 M	. G 1C / T	A · 1 T

DANITED ANIAT VOICE

**Derived from:** Magnesium Sulfate, Boric Acid, Iron Sulfate, Manganese Sulfate and Zinc Sulfate.

Information concerning the raw materials composing this product can be obtained by writing to Nutrient Technologies, L.L.C., 5415 Lake Howell Rd. Suite 177, Winter Park, Florida 32792. Refer to the lot number found on this container for identification.

## **GENERAL INFORMATION**

BIOFORCE™ is a combination of micronutrients and natural plant extracts formulated for foliar application or seed treatment to improve general plant vigor and growth. It can enhance the development of plants by improving flowering fruit set and fruit growth as well as increase crop yields. It can improve germinationa and seedling performance.

BIOFORCE<sup>™</sup> is compatible with most insecticides, fungicides, herbicides and fertilizers, so it can be used in combinations in foliar applications. BIOFORCE<sup>™</sup> is not phytotoxic at the recommended rates. When using BIOFORCE<sup>™</sup> with other products do a jar test before mixing to ensure compatibility.

## **DIRECTIONS FOR USE**

specific information.

BIOFORCE<sup>™</sup> can be used on any crop. It can be foliar applied, mixed with enough water to obtain thorough foliar coverage. Seeds can be treated with BIOFORCE<sup>™</sup> by immersion or it can be sprayed onto seeds. Always make sure that the seed that is treated is planted in the same crop cycle. If possible adjust water pH to 5-6 and ensure uniform coverage for optimum results. Warning: This fertilizer contains boron, which may be injurious to

certain crops. Contact your local county agent or field consultant for

SEED TREATMENT USE RECOMMENDATIONS

Beans, Soybeans and other legumes: Use 1-2 oz per 100 lbs of seed.

Cotton: Use 1-2 quarts per ton of seed applied with appropriate seed treatment equipment or use 7 oz in 1 pint of water to treat seed in the field.

Corn, sorghum, wheat and barley: Use 1-2 quarts per ton of seed applied with the appropriate seed treatment equipment.

Rice, oats, and other small grains: Use 1 quart per ton of seed applied with the appropriate seed treatment equipment.

Peanuts: Use 1-2 oz per 100 lbs of seed in sufficient water to provide coverage.

Sesame: Use 1.5 oz per 100 lbs of seed.

Potatoes and Sweet potatoes: Use 1-2 quarts per ton of seed in appropriate seed treatment equipment or use 7 oz in 1 pint of water to treat seed in the field.

Vegetables: Use 1-2 oz per 100 lbs of seed in sufficient water to provide coverage

## **NOTICE**

The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, NUTRIENT TECHNOLOGIES, L.L.C does not make, nor does it authorize any agent or representative to make any warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof. Neither NUTRIENT TECHNOLOGIES, L.L.C nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or the other persons from handling, storage or use of this material, not in accordance with the directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

**PRECAUTIONS** Keep Out of the Reach of Children. Harmful if swallowed. Avoid contact with eyes, skin and clothing. In case of contact, immediately flush skin or eyes with water for at least 15 minutes.

MANUFACTURED BY: 5415 Lake Howell Rd. Suite 177 Winter Park, FL 32792



Net Contents ☐ 275 gal ☐ 55 gal ☐ 5 gal ☐ 2.5 gallons	Net Weight: ☐ 2750 lbs (1248 kg.) ☐550 lbs (250 ks.) ☐50 lbs (22.70 kg.) ☐25 lbs (11.35 kg.)
---	--