



GENA 17

0.5 - 0 - 0.5

BIOAVAILABLE NUTRIENTS DERIVED FROM SHRIMP PROTEIN HYDROLYSATE

GUARANTEED ANALYSIS

| | |
|--|------|
| Total Nitrogen (N) | 0.5% |
| 0.5% Water Soluble Nitrogen | |
| Soluble Potash (K2O) | 0.5% |
| Derived from: molasses and shrimp protein hydrolysate* | |

*Shrimp protein hydrolysate is the organic material obtained by the hydrolysis of proteins to their constituent amino acids and short polypeptides. They are a source of nitrogen.

STORAGE AND DISPOSAL

For optimal product shelf life, store out of direct sunlight and protect from freezing. Do not reuse empty containers. Dispose of per local, state, and Federal regulations.

| CROP | RATE APPLICATION AND TIMING |
|--|--|
| VEGETABLE CROPS Including onions, leafy greens, melons, tomatoes, etc. | Apply 1-4 pints/ acre as part of foliar fertilization, chemigation or soil application early to late season. Applications may be made through pivot or drip irrigation. Crops may receive foliar or soil applications every 1-3 weeks. |
| FRUIT/NUT CROPS Including but not limited to fruits, nuts, vines, etc. | Apply 2-8 pints/acre as part of foliar fertilization, chemigation or soil application early to late season. May also be applied as post-harvest foliar fertilization or soil application. |
| FIELD CROPS/FORAGE Including but not limited to corn, cotton, soybeans, wheat, sugarcane, peanuts, alfalfa, hemp, etc. | Apply 1-2 pints/acre. Foliar application early vegetative through R5 (corn/soybeans) or Feekes scale 10.5 (small grains). Applications may be made through pivot or drip irrigation. Soil applied in furrow or starter fertilizer at planting, side dress or top dress nitrogen. |
| PROFESSIONAL LAWN AND TURF | Apply 1.0-2.0 ml per sq. meter. Apply multiple applications throughout the growing season. Irrigate after application. |
| HOME AND GARDEN | Apply 10-20 ml/ gallon of water. Foliar applied from 3 leaf stage throughout growing season once every 2-3 weeks. May also be applied through drench, fertigation or directly to the soil. |

DIRECTIONS FOR USE

Apply only as directed

GENERAL INFORMATION

GENA17 is designed for soil and foliar application, and may be applied frequently as needed during the growing season in conjunction with locally recommended fertilizer regimen.

| | |
|----------------------|--------------------------------------|
| NET CONTENTS: | 2.5 Gallons (9.46 Liters) |
| NET WEIGHT: | 22.53 Pounds (10.22 Kilograms) |
| DENSITY: | 9.01 lb/gal (1.08 Kg/l) @ 68°F |
| CASE: | 2 x 2.5 Gallons (45.06 lbs/20.44 kg) |

MIXING INSTRUCTIONS

If mixing GENA17 with liquid fertilizer or agrochemicals, perform a jar test to assure compatibility with different mixtures of chemicals. It is typically recommended to mix in the following order: fertilizers, chemicals, water and GENA17. DO NOT mix with concentrates. GENA17 may also be mixed with all transplant solutions, dips, watering solutions and iNvigorate®. GENA17 can be applied to all soil types and pH ranges. SHAKE/AGITATE WELL BEFORE USING.

KEEP OUT OF REACH OF CHILDREN.



For product information call:
1-888-706-9305
For Emergencies Call Toll Free:
CHEMTREC; 1-800-424-9300

PRECAUTIONS

This product may cause skin and eye irritation. If in eyes, flush with water at least 15 minutes. See a physician if irritation persists. If on skin, remove contaminated clothing and wash skin with soap and water.
Product is derived from shrimp.
As a result, may cause an allergic reaction similar to that of a shrimp allergy.

Product is derived from shrimp.

As a result, may cause an allergic reaction similar to that of a shrimp allergy.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

PPE is recommended when handling this product. Applicators and other handlers should wear chemical-resistant gloves, safety glasses and protective work clothing.

APPLICATION IN GREENHOUSES / ENCLOSED AGRICULTURAL PRODUCTION AREAS

For greenhouse (or enclosed agricultural production areas), including transplant crop seedlings, apply 3 to 6 fl. oz. of GENA17 per 1000 sq. feet of trays. Begin applications with first fertilization after trays have been placed in greenhouse. GENA17 can be mixed to standard fertilizer stock solution and water with one application per week until transplants go to the field. GENA17 can be mixed with iNvigorate® and UpLift™ in greenhouse transplant production.

TURF STATEMENT

DO NOT APPLY NEAR WATER, STORM DRAINS OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN/GARDEN, AND SWEEP ANY PRODUCT THAT LANDS ON THE DRIVEWAY, SIDEWALK OR STREET, BACK ONTO YOUR LAWN/GARDEN.

TERMS AND CONDITIONS

Seller warrants that the Product conforms to the chemical description on the label. SELLER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, REGARDING THE PRODUCT, AND SELLER SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY, USAGE OF TRADE OR FITNESS FOR A PARTICULAR PURPOSE. No employee, agent or dealer is authorized by Seller to make any additional warranty. Other than as expressly provided herein, no statements, representations or advertisements were an inducement to Buyer in connection with Buyer's acquisition, purchase or use of the Product. IN NO EVENT SHALL SELLER BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, PUNITIVE, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE PURCHASE AND USE OF THE PRODUCT, INCLUDING BUT NOT LIMITED TO, LOSS OF CROPS, LOSS OF PROFITS OR LOSS OF INCOME.

F1486

MANUFACTURED FOR
TRIANGLE CHEMICAL COMPANY
117 Preston Court
Macon, Georgia 31210
(478) 743 - 1548
www.trianglecc.com

013118B-1